



ELECTRIC

FIRES AND STOVES



a warm welcome

It's never been easier to get the warm inviting atmosphere of a real flame fire with all the convenience, versatility and efficiency of electricity.

Using the latest flame-effect technology, Gazco has created a beautiful range of fires and stoves that provide a versatile and stunning focal point for any home – and all without the need for a chimney!

Whether you want to achieve a modern, contemporary look or a more classic, traditional interior, this brochure will help you make the right choice for your home.



Sheraton 5 Electric with Log & Pebble fuel effect on Amber flame setting. Shown with Grafton Limestone mantel



contents

| | |
|------------------------------|----|
| Complete Peace of Mind | 04 |
| Creative Control | 05 |

| | |
|--|----------------|
| Radiance Inset Electric Fires.. | 06 - 07 |
| Radiance Inset Edge..... | 08 - 09 |

| | |
|---------------------------------|---------|
| Riva2 670 Electric Fires | |
| Riva2 670 Designio2 | 10 - 11 |
| Riva2 670 Evoke..... | 12 - 13 |
| Riva2 670 Verve XS..... | 14 - 15 |

| | |
|-----------------------------------|----------------|
| Logic2 Electric Fires..... | 16 - 17 |
| Logic2 Arts | 18 - 19 |
| Logic2 Chartwell | 20 - 21 |
| Logic2 Wave | 22 - 23 |
| Logic2 Progress | 24 - 25 |

| | |
|-------------------------------------|---------|
| Contemporary Electric Stoves | |
| Vogue Midi | 26 - 27 |
| Vogue Midi T | 28 - 29 |
| Vision..... | 30 - 31 |
| Yeoman CL Stoves..... | 32 - 33 |

| | |
|------------------------------------|---------|
| Traditional Electric Stoves | |
| Chesterfield | 34 - 35 |
| Sheraton | 36 - 37 |
| Stockton..... | 38 - 39 |
| Marlborough2..... | 40 - 41 |
| Huntingdon..... | 42 - 43 |
| Yeoman Dartmoor | 44 - 45 |

| | |
|-----------------------------------|----------------|
| Technical Information..... | 46 - 51 |
|-----------------------------------|----------------|

| | |
|---------------------|---------|
| Stove Benches | 52 |
| eReflex & eStudio | |
| Electric Fires..... | 54 - 55 |



Radiance Inset 135R Edge on Amber flame setting.

Main Cover Image: Radiance Inset 105R Edge on Amber flame setting.

Top: Vogue Midi T Highline Electric on Amber flame setting.

Bottom: Chesterfield 5 Electric on Amber flame setting.

complete peace of mind

the gazco pedigree

When you choose Gazco, quality and technology are assured. From contemporary hang on the wall fires to traditional stoves, Gazco are committed to creating the ultimate in flame effect fires. Our research and development laboratories are amongst the most advanced in the industry, ensuring that the very latest innovations are incorporated into our products.

Gazco is part of the Stovax Group. We offer a prestigious product range, which includes everything from the traditional to the ultra-contemporary in a wide array of styles and sizes. Whether your choice is solid fuel, gas, or electric you can be sure to find a stove or fireplace from our range to add the perfect warmth and character to your home. Full details of the Stovax Group's range of products can be found at: www.stovax.com

Gazco is an ISO9001 and ISO14001 accredited company. Our rigorous quality control system ensures that all our appliances are safety checked and that they comply with the appropriate regulations, with all fires in this brochure bearing the CE mark. Similarly, our environmental management systems ensure we work in a sustainable manner, whilst endeavouring to protect the environment by minimising any possible impact from our operations.



warranty information

Your Gazco retailer will provide you with a Two Year Warranty for your new electric fire providing it is registered with Gazco. Please note this warranty excludes certain consumable parts. Fires purchased outside of Gazco's Expert Retailer Network will carry a standard One Year Non-Extendable Warranty. Full warranty details, terms and conditions are available at: www.gazco.com



expert retailer network

We take great care to ensure that our fires are designed, tested and manufactured to the highest possible quality and safety standards. We are just as concerned to make certain that they are sold and installed correctly so that you will enjoy years of pleasure from your purchase.

Accordingly, you will find our products are only available from experienced, independent retailers who will be happy to show you a selection of models locally in their showrooms, often fully operational. These independent retailers will discuss your individual requirements covering both technical issues and design, to ensure that you select the most appropriate product for your home. They will also be able to advise on, or assist with, the installation process as well as help provide any after-sales support and servicing your appliance may require in the future.

Whilst we encourage our retailers to promote fireplace products and their outlets via the internet, we do not believe suitable levels of customer care and satisfaction can be obtained from purchasing the product only online and we would strongly recommend that you consider this when undertaking your research and making a purchasing decision. Furthermore, please be aware that we do not offer technical support (beyond our statutory responsibilities) to products bought via nationwide online sales, where this support would normally be offered by one of our qualified, independent retailers.

In addition, Gazco fires purchased from within our Expert Retailer Network will have the additional benefit of an extended warranty period, subject to terms and conditions. Full details can be found at: www.gazco.com

find your local retailer

You can find your nearest expert retailer by visiting: www.gazco.com/retailers





WIN the cost of your product back!

by registering your product online for your free extended warranty. See page 52 for details.

Logic2 Electric Chartwell with Polished effect front, Polished Steel effect frame, and Grey Pebble fuel bed on Amber flame setting.

creative control

All Gazco electric fires and stoves come with a Programmable Thermostatic Eco Remote Control. This easy-to-use handset gives you full control over a host of features, including temperature control as well as visuals.

flame options

Choose from Amber, Blue** or a combination depending on your mood, with five brightness settings for each colour.

chromalight fuel bed lighting

Choose from 14 different Chromalight LED fuel bed settings on electric stoves*, with 13 vibrant colour choices or a gradually changing spectrum of each.

thermostatic ambient heating

Set the optimum temperature for your room between 15°C and 25°C. The fire or stove will use its thermostat to manage heating power, reaching the desired temperature as efficiently as possible.

comfort temperature

Eco and Comfort settings allow you to adjust the thermostat by a further +/- 4°C for greater temperature control.

daily and weekly heating

Fires and stoves can be programmed to provide heat at certain times of the day or week, using the handset's Daily and Weekly Timer function.

heating advance mode

Heating cycles can be easily delayed or advanced if desired, without disrupting daily or weekly programming.


adaptive start control

Advanced thermostat technology allows the fire or stove to turn on up to 45 minutes in advance of a scheduled time to ensure the room is at the right temperature, when you want it to be.

open window detection

To save energy, a sudden drop in room temperature of 4°C due to an open window or door will cause the fire or stove to stop heating the room. Heating can be easily resumed by pressing the heat button again or closing the window.

Gazco's energy saving features ensure all models comply with stringent 2018 Ecodesign energy product standards.



*Available on electric stoves only. Also available on eReflex and eStudio fires shown on pages 54 to 55. **Not applicable to Riva2 670 electric models

radiance inset fires

size options

Radiance Inset fires are offered in a choice of three sizes, to suit your interior space. Instantly catching the eye, these breathtaking designer fires will add style and warmth wherever they are installed.

Whether you're looking to add style to your study or luxury to your lounge, the Radiance's three sizes offer an array of versatile options. These models can even be fitted into a wallpaper surround, allowing papering to the fire's edge for seamless integration with your home.

| | Width | Height |
|---------------|--------|--------|
| Radiance 85R | 901mm | 336mm |
| Radiance 105R | 1101mm | 336mm |
| Radiance 135R | 1401mm | 336mm |

* Dimensions given are those overall visible upon installation. For detailed technical information see page 46.

fuel effects

All models in the Radiance series have a White and Clear Stone fuel bed that provides a focal point even when the fire is off.



View the Video

at www.gazco.com/radiance



radiance inset 85R



radiance inset 105R



radiance inset 135R



White & Glass Stones

Radiance Inset 135R Edge on Amber flame setting



radiance inset edge



Radiance Inset 105R Edge on Blue flame setting



Radiance Inset 85R Edge on Amber flame setting

Presented as the frameless Edge, the Radiance Inset forms a striking hole-in-the-wall focal point - with its flawless lines and pure view of the mesmeric flame effects. The Inset Edge's streamlined design requires only a 180mm deep pre-constructed cavity for installation, allowing your home's interior to both frame and enhance this ultra-contemporary fire.

See the front cover and pages 3, 7 and 46 for additional images.

 [View the Video](http://www.gazco.com/radiance)
at www.gazco.com/radiance

Dimensions w x h (mm)*

- Radiance Inset 85R: 901 x 336
- Radiance Inset 105R: 1101 x 336
- Radiance Inset 135R: 1401 x 336

Fuel Bed

- White & Clear Stones

Heat Output

1.00 - 2.00kW
(or flame effect only)

Flame Visual Settings

Amber, Blue or mixed



Programmable
Thermostatic
Eco Remote
Control

* Dimensions given are those overall visible upon installation. For detailed technical information see page 40.

Radiance Inset 135R Edge
on Amber flame setting





riva2 670 designio2

Riva2 670 Electric Designio2 Steel in Iridium



Riva2 670 Electric Designio2 Steel in Graphite



The Designio2 Glass and Steel frames offer a selection of contemporary framing options for the Riva2 670 electric fire.

The Designio2 Glass adds a striking black glass surround, with glossy reflective surfaces that enhance the fire's luxury aesthetic. For understated style, the Designio2 Steel frames the fire with a sophisticated metal surround, available in either Graphite or Iridium finishes to complement your décor.

Designio2 frames can be either wall or hearth mounted depending on your tastes. Additionally, the Riva2 670 fire itself can also be installed using the optional wall mounting box, for flat wall installation.

Finish
Black Glass
Graphite
Iridium

Fuel Bed
Log effect

Heat Output
1.00 - 2.00kW
(or flame effect only)

**Frame Dimensions
w x h x d (mm)**
735 x 569 x 40*



Programmable
Thermostatic
Eco Remote
Control

* Depth when recessed into wall. For more information on the optional wall-mounting box as well as firebox dimensions, please see page 46.

For information on the remote control features see page 5.

riva2 670 evoke



Riva2 670 Electric Evoke Glass
with White Glass front & Graphite rear



Riva2 670 Electric Evoke Steel
with Graphite front & rear

Minimalist in design but bold in statement, the Evoke frame adds further presence to the Riva2 670. Choose from Steel or Glass fronts to suit your living area.

All Riva2 670 Electric fires can be recessed into a pre-constructed hole for a more minimalist installation but can also be hung directly on the wall with the optional wall-mounting box.

See rear cover for additional image.

Front Finish

Black Glass
White Glass
Graphite

Fuel Bed

Log effect

Heat Output

1.00 - 2.00kW
(or flame effect only)

Frame Dimensions w x h x d (mm)

920 x 622 x 41*



Programmable
Thermostatic
Eco Remote
Control

* Depth when recessed into wall. For more information on the optional wall-mounting box as well as firebox dimensions, please see page 46.

For information on the remote control features see page 5.



Riva2 670 Electric Evoke Glass
with Black Glass front & Graphite rear



riva2 670 verve xs

Riva2 670 Electric Verve XS in Graphite



The stylish Verve XS transforms the Riva2 670 with a 3D frame designed to create maximum visual impact in your home. This subtly curving frame choice comes in smart Graphite to suit a variety of settings.

The Riva2 670's highly realistic fuel bed is enhanced by Gazco's stunning flame-effect, offering the ambiance of a real log flame with the instant convenience of electric.

Finish
Graphite

Fuel Bed
Log effect

Heat Output
1.00 - 2.00kW
(or flame effect only)

**Frame Dimensions
w x h x d (mm)**
1000 x 622 x 41*



Programmable
Thermostatic
Eco Remote
Control

* Depth when recessed into wall. For more information on the optional wall-mounting box as well as firebox dimensions, please see page 46.

For information on the remote control features see page 5.



Logic2 Electric Chartwell with Brushed Steel Effect Frame, Highlight Polished Front and Grey Pebble fuel bed on Amber flame setting. Shown with Claremont Limestone mantel, Stovax Burlington Cast front and Polished Insert Panel.

logic2 electric fires

Featuring advanced LED technology, the Logic2 Electric Inset fire range offers captivating, life-like flame visuals for instant fireside ambience. Designed to fit easily into a standard fireplace opening, 3" rebated mantel with slip or simply against a flat wall using the optional spacer frame, this versatile fire can be enjoyed in almost any interior setting.

The Logic2 features various LED flame effects including deep amber, cool blue or a combination of the two. Using the handset that gives you full control over the fire's features, the Logic2's flames can be set to five brightness settings and can also be displayed with or without the heat if desired.

The Logic2's Programmable Thermostatic Eco handset also offers a number of convenient options, including Daily and Weekly scheduling. This advanced handset also includes various energy saving features which make it Ecodesign compliant. For more information see page 5.



These stylish electric fires come complete with three easily interchangeable fuel beds which each add a unique aesthetic. The log arrangement creates a traditional woodburning look, or, switch to either white and clear stones or grey pebbles for a strikingly contemporary aesthetic.

The versatile Logic2 has a choice of modern and traditionally styled frames and fronts (shown on the following pages) that allow you to customise your fire to suit your home.

three interchangeable fuel effects



Log-effect



White & Clear Stones



Grey Pebbles



Logic2 Electric Wave with Polished Steel Effect Frame, Polished Front and Log-effect fuel bed on Amber flame setting. Shown with White Brompton wooden mantel from Stovax.


Logic2 Electric Arts with Highlight Polished front, Brushed Steel effect frame and White & Clear Stones fuel bed on mixed flame effect setting. Also shown: Art Deco wooden mantel in white, available from Stovax.



logic2 arts



Logic2 Electric Arts with Matt Black front, Brushed Steel effect frame, & White & Clear Stone fuel bed on Blue flame setting. Shown with optional Spacer Frame.



Logic2 Electric Arts with Polished Brass effect fret & frame with Log-effect fuel bed on Amber flame setting.



Logic2 Electric Arts with Polished effect fret, Polished Steel effect frame and Log-effect fuel bed on Amber flame setting.

Taking its design origins from the Arts and Crafts movement in the early twentieth century, the Logic2 Arts embraces simplicity and clean styling. Available in a range of front and frame finishes, the Arts can be selected in a variety of combinations to suit your tastes. Using the optional spacer frame the Arts can also be installed without having to be inset into a wall, minimising building work.

* Dimensions given are those overall visible upon installation. For detailed technical information see page 46.

Finish Combinations

| Frame Choice | Front Choice |
|-----------------------|--------------------|
| Matt Black | Matt Black |
| | Brass effect |
| | Polished effect |
| | Highlight Polished |
| Brass effect | Brass effect |
| Polished Steel effect | Matt Black |
| | Polished effect |
| | Highlight Polished |
| Brushed Steel effect | Matt Black |
| | Polished effect |
| | Highlight Polished |

Heat Output

1.00 - 2.00kW
(or flame effect only)

Flame Visual Settings

Amber, Blue or mixed

Interchangeable Fuel Beds

Log-effect
White & Clear Stones
Grey Pebbles

Dimensions w x h (mm)*

510 x 609



Programmable
Thermostatic
Eco Remote
Control

logic2 chartwell



Logic2 Electric Chartwell with Matt Black front and frame, with White & Clear Stone fuel bed on mixed flame effect setting.



Logic2 Electric Chartwell with Polished effect front, Polished Steel effect frame, and Log-effect fuel bed on Blue flame setting.



Logic2 Electric Chartwell with Polished-effect Brass front and frame, with Log-effect fuel bed on Amber flame setting.

The elegant Logic2 Chartwell instantly evokes the heritage and classical styling of a traditional fireplace. Available in various front and frame finishes, the Chartwell can be combined with Gazco's many mantels, fronts and insert panels to create the perfect fireplace for your home.

For easy installation, each frame choice can be used with the optional spacer frame which allows the Logic2 to be fitted directly against a flat wall.

* Dimensions given are those overall visible upon installation. For detailed technical information see page 46.

Finish Combinations

| Frame Choice | Front Choice |
|-----------------------|--------------------|
| Matt Black | Matt Black |
| | Brass effect |
| | Polished effect |
| | Highlight Polished |
| Brass effect | Brass effect |
| Polished Steel effect | Matt Black |
| | Polished effect |
| | Highlight Polished |
| Brushed Steel effect | Matt Black |
| | Polished effect |
| | Highlight Polished |

Heat Output

1.00 - 2.00kW
(or flame effect only)

Flame Visual Settings

Amber, Blue or mixed

Interchangeable Fuel Beds

Log-effect
White & Clear Stones
Grey Pebbles

Dimensions w x h (mm)*

510 x 609



Programmable
Thermostatic
Eco Remote
Control



Logic2 Electric Chartwell with Highlight Polished front, Matt Black frame, and Grey Pebble fuel bed on Amber flame setting. Shown with Stovax Malmo wooden mantel.



Logic2 Electric Wave with Polished Steel Effect frame, Matt Black front with Log-effect fuel bed on Amber flame setting. Shown with Malmo wooden mantel in White from Stovax.

logic2 wave



Logic2 Electric Wave with Matt Black frame and front with White & Clear Stone fuel bed on Blue flame setting.



Logic2 Electric Wave with Polished Steel Effect frame, Polished effect front with Grey Pebble fuel bed on Amber flame setting.

Blending modern and traditional styling, the Logic2 Wave features smooth lines and refined curves, suiting both contemporary and period interiors alike. The Wave can be selected in Black, Polished Steel, Brushed Steel and Brass with the option to combine different frame and front finishes for unique styling. Logic2 Wave fires are available with an optional spacer frame which allows the fire to be quickly and easily fitted onto a flat wall, if desired.

* Dimensions given are those overall visible upon installation. For detailed technical information see page 42.

Finish Combinations

| Frame Choice | Front Choice |
|-----------------------|--------------------|
| Matt Black | Matt Black |
| | Brass effect |
| | Polished effect |
| | Highlight Polished |
| Brass effect | Brass effect |
| Polished Steel effect | Matt Black |
| | Polished effect |
| | Highlight Polished |
| Brushed Steel effect | Matt Black |
| | Polished effect |
| | Highlight Polished |

Heat Output

1.00 - 2.00kW
(or flame effect only)

Flame Visual Settings

Amber, Blue or mixed

Interchangeable Fuel Beds

Log-effect
White & Clear Stones
Grey Pebbles

Dimensions w x h (mm)*

510 x 609



Programmable
Thermostatic
Eco Remote
Control

logic2 progress



Logic2 Electric Progress with Log-effect fuel bed on Amber flame setting



Logic2 Electric Progress with White & Clear Stone fuel bed on Blue flame setting.

The ultra-contemporary Progress front's minimalist styling perfectly complements the advanced Logic2 fire. Featuring a smoothly curving front with a striking Iridium finish, this modern fire effortlessly makes for a designer centrepiece in any interior.

The versatile Logic2 fire range is designed to be fitted into a standard fireplace opening or flat against the wall with either a 3" rebated mantel with slip or by using the optional spacer frame.

* Dimensions given are those overall visible upon installation. For detailed technical information see page 46.

Finish

Iridium

Heat Output

1.00 - 2.00kW
(or flame effect only)

Flame Visual Settings

Amber, Blue or mixed

Interchangeable Fuel Beds

Log-effect
White & Clear Stones
Grey Pebbles

Dimensions w x h (mm)*

520 x 602



Programmable
Thermostatic
Eco Remote
Control



Logic2 Electric Progress with Grey Pebble fuel bed on Amber flame setting

vogue midi electric



Vogue Midi Midline Electric with Log & Pebble fuel effect on Amber with Blue accent flame setting



Vogue Midi Electric with Log & Pebble fuel effect on Amber flame setting

The Vogue Midi is offered in two models including the taller Midline version, which can be stacked with logs to enhance the wood burner aesthetic. Our Chromalight® Immersive LED technology lets you control flame and ember bed lighting effects to create the perfect ambience in virtually any part of the home, with a choice of fuel effects that can be mixed and matched.

The Vogue Midi is compatible with our range of stove benches, for more information see page 52.

Finish

Matt Black

Heat Output

0.75 - 1.50kW
(or flame effect only)

Flame Visual Settings

Amber, Blue or Amber with Blue accent

Interchangeable Fuel Beds

Log & Pebble effect
Crystal Ice effect

Dimensions w x h x d (mm)

Midi: 416 x 639 x 348
Midi Midline: 416 x 791 x 348



Programmable
Thermostatic
Eco Remote
Control



Vogue Midi Electric with Log & Pebble fuel effect on Amber flame setting



Vogue Midi T Highline Electric with Log & Pebble fuel effect on Amber flame setting

vogue midi t electric



View the Video

at www.gazco.com/electricvogue



Vogue Midi T Electric with Log & Pebble fuel effects on Amber with Blue accent flame setting



Vogue Midi T Midline Electric with Log & Pebble fuel effect on Amber flame setting



Vogue Midi T Wall Hung Electric with Log & Pebble fuel effects on Amber with Blue accent flame setting

The stylish Vogue Midi T range comprises a collection of tall contemporary stoves. All Vogue Midi T stoves feature windows on either side of the stove body to supplement the large front window, ensuring the display is visible from almost any angle in the room.

The Vogue Midi T can be selected as a plinth-mounted stove or in Midline and Highline log store versions. Alternatively, a statement wall-hung model creates a floating installation for a strikingly modern look. The Vogue Midi T can be enhanced with our range of stove benches, for more information see page 52.

Finish
Matt Black

Heat Output
0.75 - 1.50kW
(or flame effect only)

Flame Visual Settings
Amber, Blue or Amber with Blue accent

Interchangeable Fuel Beds
Log & Pebble effect
Crystal Ice effect

Dimensions w x h x d (mm)
Midi T: 418 x 776 x 349
Midi T Midline: 418 x 928 x 349
Midi T Highline: 418 x 1260 x 349
Midi T Wall Mounted : 416 x 776 x 348 (360*)

*360mm is depth with wall mounted bracket.



Programmable
Thermostatic
Eco Remote
Control

vision electric



Vision Small Electric with Crystal-Ice fuel effect on Blue flame setting on 100 High Bench



Vision Medium Electric with Log & Pebble fuel effect on Amber flame setting

The Vision is a contemporary electric stove that comes in three sizes: Small, Midi and Medium; each sporting a highly reflective black glass door, integral glass plinth, black glass top plate and contrasting stainless steel detailing for a clean stylish look.

To increase your interior design possibilities, you can enhance your Vision by choosing from one of ten stylish Stove Benches as shown on page 52.

Finish

Black Glass

Heat Output

1.00 - 2.00kW
(or flame effect only)

Flame Visual Settings

Amber, Blue or Amber with Blue accent

Interchangeable Fuel Beds

Log & Pebble effect
Crystal Ice effect

Dimensions w x h x d (mm)

Small: 370 x 555 x 299

Midi: 415 x 604 x 320

Medium: 535 x 676 x 363



Programmable
Thermostatic
Eco Remote
Control



Vision Midi Electric with Log & Pebble fuel effect on Amber flame setting



CL electric



CL3 Electric with Log & Pebble fuel effect on Amber flame setting



CL5 Electric with Log & Pebble fuel effect on Amber flame setting



CL8 Electric with Log & Pebble fuel effect on Amber flame setting

Effortlessly bridging the gap between modern and traditional stove design, the CL Electric range balances simplicity with subtle details. CL electric stoves feature our remote controlled Chromalight LED lighting systems for extraordinarily realistic flame and ember visuals, with an assortment of fuel effects to choose from. Choose from three stove sizes to complement your home, each featuring a high quality cast iron and steel construction. CL stoves can be further enhanced with our stove benches shown on page 52.

See page 49 for additional image.

Finish
Matt Black

Heat Output
1.00 – 2.00kW
(or flame effect only)

Flame Visual Settings
Amber, Blue or Amber with Blue accent

Interchangeable Fuel Beds
Log & Pebble effect
Crystal Ice Effect

Dimensions w x h x d (mm)
CL3: 371 x 541 x 313
CL5: 416 x 552 x 333
CL8: 553 x 604 x 374



Programmable
Thermostatic
Eco Remote
Control

SHOWROOM
EXCLUSIVE



Chesterfield 5 Electric with Log &
Pebble fuel effect on Amber flame setting

chesterfield 5 electric



View the Video

at www.gazco.com/chesterfieldelectric



Chesterfield 5 Electric with Log & Pebble fuel effect on Amber flame setting. Shown with Pembroke wooden mantel in warm white.



Chesterfield 5 Electric with Log & Pebble fuel effect on Amber flame setting

Elegantly styled, yet decidedly sophisticated, the Chesterfield 5 Electric combines designer looks with traditional aesthetics. For unparalleled authenticity, the Chesterfield 5 features the same cast iron and heavy gauge steel construction used in its woodburning and gas versions. Inside, this advanced electric stove creates a superb flame picture thanks the Chromalight technology and interchangeable, highly realistic log effects.

Finish
Matt Black

Heat Output
0.75 - 1.50kW
(or flame effect only)

Flame Visual Settings
Amber, Blue or Amber
with Blue accent

Interchangeable Fuel Beds
Log & Pebble effect
Crystal Ice effect
Dimensions w x h x d (mm)
472 x 614 x 391



Programmable
Thermostatic
Eco Remote
Control

SHOWROOM
EXCLUSIVE



Sheraton 5 Electric with Log & Pebble fuel effect on Amber flame setting

sheraton 5 electric



View the Video

at www.gazco.com/sheratonelectric



Sheraton 5 Electric with Log & Pebble fuel effect on Amber with Blue accent flame setting



Sheraton 5 Electric with Log & Pebble fuel effect on Amber flame setting with Grafton Limestone mantel



The Sheraton 5 Electric stove brings style, elegance, and remarkably realistic flame visuals to any interior. Cast iron bevelling and corning to the door, top plate and base give this stove a classic but timeless appearance that will suit modern and traditional settings alike.


Featuring a choice of fuel effects alongside our Chromalight® Immersive LED systems, the Sheraton 5 Electric gives you a variety of display options that can be mixed and matched to create a bespoke focal point.

Finish
Matt Black

Heat Output
0.75 - 1.50kW
(or flame effect only)

Flame Visual Settings
Amber, Blue or Amber with Blue accent

Interchangeable Fuel Beds
Log & Pebble effect
Crystal Ice effect
Dimensions w x h x d (mm)
458 x 614 x 371



Programmable
Thermostatic
Eco Remote
Control

stockton electric



Stockton2 Medium Electric with Log & Pebble fuel effect on Amber flame setting



Stockton2 Small Electric with Log & Pebble fuel effect on Amber flame setting

With their cast iron doors and heavy gauge steel bodies, Stockton stoves combine the classic looks of a woodburning stove with the ease and convenience of electric.

Featuring our advanced Chromalight® technology, the Stockton's flame effects are projected among the fuel bed for a three-dimensional visual, whilst the various fuel effect options are lit from above and below for increased realism. The range of LED colour settings and interchangeable fuel bed options gives you the freedom to tailor your stove's visuals to suit your mood.

Finish

Matt Black

Heat Output

1.00kW - 2.00kW
(or flame effect only)

Flame Visual Settings

Amber, Blue or Amber with Blue accent

Interchangeable Fuel Beds

Log & Pebble effect
Crystal Ice effect

Dimensions w x h x d (mm)

Stockton2 Small: 438 x 525 x 338
Stockton 5: 481 x 544 x 337
Stockton2 Medium: 601 x 616 x 412



Programmable
Thermostatic
Eco Remote
Control



Stockton 5 Electric with Log & Pebble fuel effect on Amber flame setting

marlborough2 electric



Marlborough2 Small Electric with Log & Pebble fuel effect on Amber flame setting



Marlborough2 Medium Electric with Log & Pebble fuel effect on Amber flame setting

Country or city, traditional or contemporary, the innovative Marlborough2 Electric has the flexibility to suit your lifestyle and your décor. With their expansive viewing windows, enjoy the warming flame visuals with or without the heat from the comfort of your sofa.

Finish

Matt Black

Heat Output

1.00 - 2.00kW
(or flame effect only)

Flame Visual Settings

Amber, Blue or Amber with Blue accent

Interchangeable Fuel Beds

Log & Pebble effect
Crystal Ice effect

Dimensions w x h x d (mm)

Small: 429 x 533 x 280

Medium: 600 x 583 x 380



Programmable
Thermostatic
Eco Remote
Control



Marlborough2 Medium Electric with Log & Pebble fuel effect on Amber with Blue accent flame setting

huntingdon electric



Huntingdon 30 Electric with Tracery Door in Matt Ivory with Log & Pebble fuel effect on Amber flame setting



Huntingdon 20 Electric with Tracery Door in Matt Black with Log & Pebble fuel effect on Amber flame setting

The fine castings of the Huntingdon Electric range are brought alive with Gazco's Chromalight® technology, The Huntingdon Electric range is available in a number of finishes to complement your home. For even more styling options, each size is also offered in either clear door or tracery door versions.

Finish

Matt Black
Matt Ivory
Ivory Enamel

Door Choice

Tracery Door
Clear Door

Heat Output

1.00 - 2.00kW
(or flame effect only)

Flame Visual Settings

Amber, Blue or Amber with Blue accent


Interchangeable Fuel Beds

Log & Pebble effect
Crystal Ice effect

Dimensions w x h x d (mm)

20: 413 x 536 x 324
30: 560 x 592 x 351
40: 641 x 653 x 397

Programmable Thermostatic
Eco Remote Control





Huntingdon 40 Electric with Clear Door in Matt Black with Log & Pebble fuel effect on Amber flame setting. Shown with Claremont Limestone Mantel.



dartmoor electric



Dartmoor Electric with Log & Pebble fuel effects on Amber flame setting

The Dartmoor Electric's double door design makes for a quintessentially traditional stove. Inside, Chromalight LED technology creates stunningly realistic visuals as well as a spectrum of fuel bed lighting colours. Dartmoor electric stoves come with a choice of fuel effects as well as a remote control for convenient operation.

Finish
Matt Black

Heat Output
1.00 - 2.00kW
(or flame effect only)

Flame Visual Settings
Amber, Blue or Amber with Blue accent

Interchangeable Fuel Beds
Log & Pebble effect
Crystal Ice effect

Dimensions w x h x d (mm)
667 x 576 x 350



Programmable
Thermostatic
Eco Remote
Control


technical information - electric fires

radiance inset edge

| Product Code | Description | Flame Viewing Area (mm) w x h | Heat Output |
|--------------|--------------------------|-------------------------------|---------------|
| 219-148 | Radiance Inset 85R Edge | 855 x 291 | 1.00 - 2.00kW |
| 219-164 | Radiance Inset 105R Edge | 1055 x 291 | 1.00 - 2.00kW |
| 219-170 | Radiance Inset 135R Edge | 1355 x 291 | 1.00 - 2.00kW |

fire dimensions - radiance inset

All dimensions in mm



| | A | B | C | D | E |
|---------------------|------|------|------|-----|-----|
| Radiance 85R Inset | 855 | 901 | 912 | 336 | 196 |
| Radiance 105R Inset | 1055 | 1101 | 1112 | 336 | 196 |
| Radiance 135R Inset | 1355 | 1401 | 1412 | 336 | 196 |

riva2 670 electric


| Product Code | Fuel Effect | Heat Output | Opening Size (mm) | | |
|--------------|-------------|---------------|-------------------|-----|-----|
| | | | w | h | d |
| 234-872 | Logs | 1.00 - 2.00kW | 665 | 535 | 105 |

Riva2 670 Electric Wall Mounting Box

8688SL Wall mounting box for Riva2 670 Electric Cassette (234-872)

The wall mounting box allows you to hang your Riva2 670 directly onto the wall, without the need for an opening or recess.

fire dimensions



frame information


| Product Code | Description | Frame Finish | Frame Size (mm) | | |
|--------------|-----------------|--------------------------------------|-----------------|-----|----|
| | | | w | h | d |
| 934-339 | Designio2 frame | Black Glass | 735 | 569 | 40 |
| 934-238 | Designio2 frame | Graphite | 735 | 569 | 40 |
| 934-238IR | Designio2 frame | Iridium | 735 | 569 | 40 |
| 934-529 | Evoke frame | Black Glass front with Graphite rear | 920 | 622 | 41 |
| 934-558 | Evoke frame | White Glass front with Graphite rear | 920 | 622 | 41 |
| 934-601 | Evoke frame | Graphite front with Graphite rear | 920 | 622 | 41 |
| 934-143 | Verve XS frame | Graphite | 1000 | 621 | 56 |



Radiance Inset 135R Edge on mixed flame setting


logic2 electric

progress frame dimensions



* The depth of the Logic2 Electric fires are increased by 6mm when using an optional spacer frame.

arts, wave & chartwell frame dimensions



| Product Code | Front | Frame Finish | Front Finish | Heat Output |
|--------------|-------|--------------|--------------|-------------|
|--------------|-------|--------------|--------------|-------------|

arts fire information

| | | | | |
|---------|------|-----------------------|--------------------|---------------|
| 201-005 | Arts | Matt Black | Matt Black | 1.00 - 2.00kW |
| 201-038 | Arts | Matt Black | Brass Effect | 1.00 - 2.00kW |
| 201-081 | Arts | Matt Black | Polished Effect | 1.00 - 2.00kW |
| 201-099 | Arts | Matt Black | Highlight Polished | 1.00 - 2.00kW |
| 201-132 | Arts | Brass Effect | Brass Effect | 1.00 - 2.00kW |
| 201-148 | Arts | Polished Steel Effect | Matt Black | 1.00 - 2.00kW |
| 201-173 | Arts | Polished Steel Effect | Polished Effect | 1.00 - 2.00kW |
| 201-197 | Arts | Polished Steel Effect | Highlight Polished | 1.00 - 2.00kW |
| 201-222 | Arts | Brushed Steel Effect | Matt Black | 1.00 - 2.00kW |
| 201-236 | Arts | Brushed Steel Effect | Polished Effect | 1.00 - 2.00kW |
| 201-401 | Arts | Brushed Steel Effect | Highlight Polished | 1.00 - 2.00kW |

| Product Code | Front | Frame Finish | Front Finish | Heat Output |
|--------------|-------|--------------|--------------|-------------|
|--------------|-------|--------------|--------------|-------------|

wave fire information

| | | | | |
|---------|------|-----------------------|--------------------|---------------|
| 201-416 | Wave | Matt Black | Matt Black | 1.00 - 2.00kW |
| 201-504 | Wave | Matt Black | Brass Effect | 1.00 - 2.00kW |
| 201-360 | Wave | Matt Black | Polished Effect | 1.00 - 2.00kW |
| 201-384 | Wave | Matt Black | Highlight Polished | 1.00 - 2.00kW |
| 201-688 | Wave | Brass Effect | Brass Effect | 1.00 - 2.00kW |
| 201-717 | Wave | Polished Steel Effect | Matt Black | 1.00 - 2.00kW |
| 201-591 | Wave | Polished Steel Effect | Polished Effect | 1.00 - 2.00kW |
| 201-828 | Wave | Polished Steel Effect | Highlight Polished | 1.00 - 2.00kW |
| 201-757 | Wave | Brushed Steel Effect | Matt Black | 1.00 - 2.00kW |
| 201-269 | Wave | Brushed Steel Effect | Polished Effect | 1.00 - 2.00kW |
| 201-323 | Wave | Brushed Steel Effect | Highlight Polished | 1.00 - 2.00kW |

chartwell fire information

| | | | | |
|---------|-----------|-----------------------|--------------------|---------------|
| 201-742 | Chartwell | Matt Black | Matt Black | 1.00 - 2.00kW |
| 201-708 | Chartwell | Matt Black | Brass Effect | 1.00 - 2.00kW |
| 201-655 | Chartwell | Matt Black | Polished Effect | 1.00 - 2.00kW |
| 201-626 | Chartwell | Matt Black | Highlight Polished | 1.00 - 2.00kW |
| 201-554 | Chartwell | Brass Effect | Brass Effect | 1.00 - 2.00kW |
| 201-511 | Chartwell | Polished Steel Effect | Matt Black | 1.00 - 2.00kW |
| 201-392 | Chartwell | Polished Steel Effect | Polished Effect | 1.00 - 2.00kW |
| 201-314 | Chartwell | Polished Steel Effect | Highlight Polished | 1.00 - 2.00kW |
| 201-293 | Chartwell | Brushed Steel Effect | Matt Black | 1.00 - 2.00kW |
| 201-024 | Chartwell | Brushed Steel Effect | Polished Effect | 1.00 - 2.00kW |
| 201-070 | Chartwell | Brushed Steel Effect | Highlight Polished | 1.00 - 2.00kW |

progress fire information

| | | | | |
|---------|----------|---------|--|---------------|
| 201-103 | Progress | Iridium | | 1.00 - 2.00kW |
|---------|----------|---------|--|---------------|

optional spacer frames†

| | |
|---------|---|
| 901-815 | Logic2 Electric Arts, Chartwell & Wave Spacer Frame - Black |
| 901-860 | Logic2 Electric Progress Spacer Frame - Graphite |


† Logic2 Electric Spacer Frames are for use when installing onto a flat wall.

technical information - electric stoves

vogue midi

| Code | Model | Fuel Effect | Heat Output |
|---------|--------------|-------------|---------------|
| 663-806 | Midi | Various | 0.75 - 1.50kW |
| 663-834 | Midi Midline | Various | 0.75 - 1.50kW |

| Dimensions (mm) | A | B | C | D | E | Weight |
|-----------------|-----|-----|-----|-----|-----|--------|
| Midi | 416 | 639 | 348 | 306 | 337 | 42kg |
| Midi Midline | 416 | 791 | 348 | 306 | 337 | 48kg |




Vogue Midi T electric with Log & Pebble fuel effect on Amber with Blue accent flame setting

vogue midi t

| Code | Model | Fuel Effect | Heat Output |
|---------|---------------------|-------------|---------------|
| 663-819 | Midi T | Various | 0.75 - 1.50kW |
| 663-851 | Midi T Midline | Various | 0.75 - 1.50kW |
| 663-896 | Midi T Highline | Various | 0.75 - 1.50kW |
| 663-860 | Midi T Wall Mounted | Various | 0.75 - 1.50kW |

| Dimensions (mm) | A | B | C | D | E | F | G | Weight |
|---------------------|-----|------|------|-----|-----|-----|-----|--------|
| Midi T | 417 | 776 | 348 | 306 | 475 | 115 | 434 | 38kg |
| Midi T Midline | 417 | 927 | 348 | 306 | 475 | 115 | 434 | 44kg |
| Midi T Highline | 417 | 1260 | 348 | 306 | 475 | 115 | 434 | 65kg |
| Midi T Wall Mounted | 417 | 776 | 348* | 306 | 475 | 115 | 434 | 44kg |


*360mm is depth with wall mounting bracket.



vision range

| Code | Model | Fuel Effect | Heat Output |
|---------|--------|-------------|---------------|
| 634-808 | Small | Various | 1.00 - 2.00kW |
| 634-846 | Midi | Various | 1.00 - 2.00kW |
| 634-889 | Medium | Various | 1.00 - 2.00kW |


| Dimensions (mm) | A | B | C | D | E | Weight |
|-----------------|-----|-----|-----|-----|-----|--------|
| Small | 370 | 555 | 299 | 254 | 240 | 24kg |
| Midi | 415 | 604 | 320 | 316 | 214 | 28kg |
| Medium | 535 | 676 | 363 | 408 | 274 | 38kg |



CL range

| Code | Model | Fuel Effect | Heat Output |
|-----------|-------|-------------|---------------|
| YM681-196 | CL3 | Various | 1.00 - 2.00kW |
| YM681-331 | CL5 | Various | 1.00 - 2.00kW |
| YM681-374 | CL8 | Various | 1.00 - 2.00kW |

| Dimensions (mm) | A | B | C | D | E | Weight |
|-----------------|-----|-----|-----|-----|-----|--------|
| CL3 | 371 | 313 | 541 | 244 | 252 | 40kg |
| CL5 | 416 | 333 | 552 | 244 | 311 | 44kg |
| CL8 | 553 | 374 | 604 | 274 | 427 | 47kg |






technical information - electric stoves

chesterfield 5

| Code | Model | Fuel Effect | Heat Output |
|---------|----------------|-------------|---------------|
| 605-850 | Chesterfield 5 | Various | 0.75 - 1.50kW |

Weight: 56kg




marlborough2 range

| Code | Model | Fuel Effect | Heat Output |
|---------|--------|-------------|---------------|
| 659-085 | Small | Various | 1.00 - 2.00kW |
| 659-112 | Medium | Various | 1.00 - 2.00kW |

Dimensions (mm)


| | A | B | C | D | E | F | Weight |
|--------|-----|-----|-----|-----|-----|-----|--------|
| Small | 429 | 558 | 355 | 280 | 232 | 211 | 33kg |
| Medium | 600 | 583 | 406 | 330 | 398 | 241 | 50kg |



sheraton 5

| Code | Model | Fuel Effect | Heat Output |
|---------|------------|-------------|---------------|
| 605-832 | Sheraton 5 | Various | 0.75 - 1.50kW |


Weight: 55kg



dartmoor

| Code | Model | Fuel Effect | Heat Output |
|-----------|----------------------------|-------------|---------------|
| YM681-306 | Dartmoor 2 Door - flat top | Various | 1.00 - 2.00kW |


Weight: 75kg



stockton2 and stockton 5

| Code | Model | Fuel Effect | Heat Output |
|---------|--------|-------------|---------------|
| 604-144 | Small | Various | 1.00 - 2.00kW |
| 604-172 | 5 | Various | 1.00 - 2.00kW |
| 604-203 | Medium | Various | 1.00 - 2.00kW |


| Dimensions (mm) | A | B | C | D | E | F | Weight |
|-----------------|-----|-----|-----|----|-----|-----|--------|
| Small | 438 | 525 | 289 | 49 | 232 | 220 | 50kg |
| 5 | 481 | 544 | 273 | 64 | 267 | 212 | 55kg |
| Medium | 601 | 617 | 347 | 65 | 398 | 258 | 72kg |



huntingdon range

Dimensions (mm)

| | A | B | C | D | E | F | Weight |
|----|-----|-----|-----|----|-----|-----|--------|
| 20 | 413 | 536 | 324 | 62 | 234 | 223 | 35kg |
| 30 | 560 | 592 | 351 | 96 | 323 | 230 | 52kg |
| 40 | 641 | 653 | 397 | 99 | 402 | 265 | 59.5kg |



| Code | Model | Colour | Fuel Effect | Door Type | Heat Output |
|---------|-------|--------------|-------------|-----------|---------------|
| 615-258 | 20 | Matt Black | Various | Tracery | 1.00 - 2.00kW |
| 615-624 | 20 | Matt Ivory | Various | Tracery | 1.00 - 2.00kW |
| 615-371 | 20 | Ivory Enamel | Various | Tracery | 1.00 - 2.00kW |
| 615-011 | 20 | Matt Black | Various | Clear | 1.00 - 2.00kW |
| 615-050 | 20 | Matt Ivory | Various | Clear | 1.00 - 2.00kW |
| 615-037 | 20 | Ivory Enamel | Various | Clear | 1.00 - 2.00kW |
| 615-285 | 30 | Matt Black | Various | Tracery | 1.00 - 2.00kW |
| 615-643 | 30 | Matt Ivory | Various | Tracery | 1.00 - 2.00kW |
| 615-427 | 30 | Ivory Enamel | Various | Tracery | 1.00 - 2.00kW |
| 615-094 | 30 | Matt Black | Various | Clear | 1.00 - 2.00kW |
| 615-183 | 30 | Matt Ivory | Various | Clear | 1.00 - 2.00kW |
| 615-142 | 30 | Ivory Enamel | Various | Clear | 1.00 - 2.00kW |
| 615-302 | 40 | Matt Black | Various | Tracery | 1.00 - 2.00kW |
| 615-662 | 40 | Matt Ivory | Various | Tracery | 1.00 - 2.00kW |
| 615-613 | 40 | Ivory Enamel | Various | Tracery | 1.00 - 2.00kW |
| 615-123 | 40 | Matt Black | Various | Clear | 1.00 - 2.00kW |
| 615-222 | 40 | Matt Ivory | Various | Clear | 1.00 - 2.00kW |
| 615-157 | 40 | Ivory Enamel | Various | Clear | 1.00 - 2.00kW |

The above information is to assist in your choice of a suitable Gazco stove. It is not intended to be all information required to install your fire. This can be obtained from your local Gazco retailer or you can download the full installation instructions from the Gazco website at www.gazco.com

product improvement & photography

Gazco pursue a policy of continuous product improvement, therefore, whilst our products are correct at the time of the photography, we reserve the right to make alterations and amendments. Exact product details should be discussed with your retailer at the time of purchase.

Owing to variations in studio lighting and printing inks, the colours of stoves illustrated in this brochure may differ slightly from actual models.



further information

stove benches

These versatile steel benches are compatible with the Vision, Vogue and CL Stoves. With a variety of sizes they offer greater design possibilities such as central or offset stove positioning, expanding your styling options.



Electric Vision Midi with Log & Pebble fuel effect on Amber flame. Mounted on 100 High Bench.



| Product Code | Bench | W (mm) | H (mm) | D (mm) |
|--------------|----------------|--------|--------|--------|
| RVACLB45BHT | 45 Low bench | 450 | 250 | 420 |
| RVACB45BHT | 45 High bench | 450 | 350 | 420 |
| RVACLB100BHT | 100 Low bench | 1000 | 250 | 420 |
| RVACB100BHT | 100 High bench | 1000 | 350 | 420 |
| RVACLB120BHT | 120 Low bench | 1200 | 250 | 420 |
| RVACB120BHT | 120 High bench | 1200 | 350 | 420 |
| RVACLB140BHT | 140 Low bench | 1400 | 250 | 420 |
| RVACB140BHT | 140 High bench | 1400 | 350 | 420 |
| RVACLB180BHT | 180 Low bench | 1800 | 250 | 465 |
| RVACB180BHT | 180 High bench | 1800 | 350 | 465 |

Deeper Bench Options (500mm Deep)

| | | | | |
|--------------|----------------|------|-----|-----|
| RVACLB120BHT | 120 Low bench | 1200 | 250 | 500 |
| RVACB120BHT | 120 High bench | 1200 | 350 | 500 |
| RVACLB140BHT | 140 Low bench | 1400 | 250 | 500 |
| RVACB140BHT | 140 High bench | 1400 | 350 | 500 |
| RVACLB180BHT | 180 Low bench | 1800 | 250 | 500 |
| RVACB180BHT | 180 High bench | 1800 | 350 | 500 |

WIN

the cost of your product back!*

For further home inspiration you can **view real life installations** at our Customer Showcase page and share your thoughts and photos of your new stove or fire installation to enter our draw!

- We will publish your entry on our Customer Showcase
- You will be entered into a draw for the chance to win the cost of your product back
- **Gain a second entry** by registering your product online for your free extended warranty at gazco.com/registration



"I knew as soon as I saw it that was the one for our living room"

"We absolutely love our fire"

View real life installations and submit your review at

gazco.com/customershowcase

* Terms and conditions apply. See online for details



Vogue Midi T Highline Electric with Log & Pebble fuel effect on Amber flame setting

further Gazco electric fires



eReflex 110W Trento Left Offset with Log & Pebble fuel effect on Amber flame setting



eReflex 75R Inset with Log & Pebble fuel effect on Amber flame setting.
Shown with Claremont Mantel in Limestone with matching slip set.

The Gazco electric fire collection also includes the eReflex and eStudio ranges.

Offering captivating flame and ember effects in a choice of colours, both the eReflex and eStudio feature our immersive Chromalight LED Systems. Combining their innovative lighting technology with the various highly realistic fuel effect choices, each fire brings stunning, atmospheric visuals to your living area.

Together, these designer electric fire ranges present an array of sizes and installation choices, with Inset, Multi-Sided and wall mounted options to suit your home.

For more information on eReflex and eStudio electric fires please contact your local retailer or visit:

www.gazco.com, where you can download either range's brochure.





eStudio 135R with optional Silver Birch log-effect on Amber with Yellow accent flame setting. Shown with optional Mood Lighting Kit.



Riva2 670 Electric Evoke Glass with Black Glass front & Graphite rear



Logic2 Electric Wave with Polished Steel Effect Frame, Polished Front and Log-effect fuel bed on Amber flame setting.



Gazco Limited, Osprey Road, Sowton Industrial Estate, Exeter, Devon, England EX2 7JG • **Tel:** 01392 261900
Export Sales: 00 44 1392 261990 • **Email:** info@gazco.com • **Export Email:** exportsales@stovax.com

gazco.com   

Gazco gratefully acknowledges the assistance of the following companies with photographic settings:

www.amara.com; www.furniturevillage.co.uk; www.theorangerie.co.uk; www.habitat.co.uk; www.houseoffraser.co.uk; www.electique.co.uk; www.debenhams.com;
 www.next.co.uk; www.mokodirect.co.uk; www.marksandspencer.com; www.frenchconnection.com; www.urbanoutfitters.com/uk; www.tkmaxx.com; www.homesense.com;
 www.johnlewis.com; www.coxandcox.co.uk; www.urbanara.co.uk; www.amoslighting.co.uk; www.farmington.co.uk; www.bnsp.co.uk; www.grandisson.com;
 www.rudloe-stone.com; www.beechbros.co.uk; www.originalstyle.com; www.stbridgetnurseseries.co.uk; www.amtico.com; www.opiesuk.co.uk; www.graceandgloryhome.co.uk;
 www.sofarooms.co.uk; www.chunkymonkeyfurniture.co.uk; www.wallsandfloors.co.uk; www.desenio.co.uk; www.birlea.com; www.ikea.com.

Paper sourced from sustainable forests and printed using vegetable based inks. © Copyright Gazco Ltd 2021 E & O E

find your retailer

You can find your nearest retailer by visiting:
www.gazco.com/retailers



Your Gazco stockist:

Brochure ref: GZELECTRICO421

